ELSEVIER

Protein Structure & Molecular Enzymology

Vol. 1296, 1996

BBA Biochimica et Biophysica Acta

Author index

Ajtai, K., see Park, S. (1296) 1
Andrade-Gordon, P., see Mayo, K.H. (1296) 95
Armstrong, J.M.D., see Jensen, W.A. (1296) 23
Asenjo, J.A., see Parrado, J. (1296) 145

Baalmann, E., see Scheibe, R. (1296) 228
Backhausen, J.E., see Scheibe, R. (1296) 228
Bada, M.A., see Sayre, L.M. (1296) 250
Barteri, M., Fioroni, M. and Gaudiano, M.C.
Oxidation of Fe(II) horse heart cytochrome *c* by ultrasound waves (1296) 35
Beavers, M.P., see Mayo, K.H. (1296) 95
Botta, M., Cernia, E., Corelli, F., Manetti, F. and Soro, S.
Probing the substrate specificity for lipases. A CoMFA approach for predicting the hydrolysis rates of 2-arylpropionic esters catalyzed by *Candida rugosa* lipase (1296) 121
Brosch, G., see Lechner, T. (1296) 181
Burghardt, T.P., see Park, S. (1296) 1

Cashikar, A.G. and Rao, N.M.
Role of the intersubunit disulfide bond in the unfolding pathway of dimeric red kidney bean purple acid phosphatase (1296) 76
Cernia, E., see Botta, M. (1296) 121
Chen, J.-s., Saxton, J., Hemming, F.W. and Peberdy, J.F.
Purification and partial characterization of the high and low molecular weight form (S- and F-form) of invertase secreted by *Aspergillus nidulans* (1296) 207
Coggins, J.R., see Munro, A.W. (1296) 127
Collins, J.H., see Matveyev, V.V. (1296) 55
Conejero-Lara, F., see Parrado, J. (1296) 145
Corelli, F., see Botta, M. (1296) 121
Covelo, G., see Díaz-Jullien, C. (1296) 219

Dai, Y. and Tang, J.-G.
Characteristic, activity and conformational studies of [A6-Ser, A11-Ser]-insulin (1296) 63
DasGupta, C., see Sarkar, D. (1296) 85
De Giorgio, J., see Jensen, W.A. (1296) 23
Díaz-Jullien, C., Pérez-Estévez, A., Covelo, G. and Freire, M.
Prothymosin α binds histones in vitro and shows activity in nucleosome assembly assay (1296) 219
Dobson, C.M., see Parrado, J. (1296) 145

Eberharter, A., see Lechner, T. (1296) 181
Eckardt, A., see Mayo, K.H. (1296) 95
Escuredo, P.R., see Parrado, J. (1296) 145

Fan, F., see Mayo, K.H. (1296) 95
Fioroni, M., see Barteri, M. (1296) 35
Fong, W.-P., see Tsui, H.-T. (1296) 41
Fothergill-Gilmore, L.A., see Nairn, J. (1296) 69
Freire, M., see Díaz-Jullien, C. (1296) 219
Fujii, K.-i., see Mashiko, H. (1296) 198
Fujiwara, H., see Hirose, J. (1296) 103
Funasaki, N., see Neya, S. (1296) 245

Gaudiano, M.C., see Barteri, M. (1296) 35
Gilbert, M., Ostiguy, S., Kluepfel, D. and Morosoli, R.
Cloning of a *secA* homolog from *Streptomyces lividans* 1326 and overexpression in both *S. lividans* and *Escherichia coli* (1296) 9
Giraud, A., Whitley, J., Shulkes, A. and Parker, L.
The pregnant ovine endometrium constitutively expresses and secretes a highly stable bombesin-like peptide, which shares C-terminal sequence but differs structurally from gastrin-releasing peptide (1296) 189
Goralik-Schramel, M., see Lechner, T. (1296) 181
Gotis-Graham, I., see Matthias, L.J. (1296) 138
Green, B.N., see Yuasa, H.J. (1296) 235

Haslam, G.C., see Kounga, K. (1296) 112
Hearn, M.T.W., see Jensen, W.A. (1296) 23
Hemming, F.W., see Chen, J.-s. (1296) 207
Himes, R.H., see Kounga, K. (1296) 112
Hiromi, K., see Hirose, J. (1296) 103
Hirono, K., see Homma, H. (1296) 159
Hirose, J., Fujiwara, H., Magarifuchi, T., Iguti, Y., Iwamoto, H., Kominami, S. and Hiromi, K.
Copper binding selectivity of N- and C-sites in serum (human)- and ovo-transferrin (1296) 103
Hirota, M., see Homma, H. (1296) 159
Hoekstra, W.J., see Mayo, K.H. (1296) 95
Hogg, P.J., see Matthias, L.J. (1296) 138
Homma, H., Ogawa, K., Hirono, K., Morioka, Y., Hirota, M., Tanahashi, I. and Matsui, M.
Site-directed mutagenesis of rat hepatic hydroxysteroid sulfotransferases (1296) 159
Hori, H., see Neya, S. (1296) 245

Iguti, Y., see Hirose, J. (1296) 103
Imai, K., see Neya, S. (1296) 245
Iwamoto, H., see Hirose, J. (1296) 103

Jensen, K.F., see Linde, L. (1296) 16
Jensen, W.A., Armstrong, J.M.D., De Giorgio, J. and Hearn, M.T.W.
Stability studies on pig heart mitochondrial malate dehydrogenase: the effect of salts and amino acids (1296) 23
Jones, C.G., Tucker, G.A. and Lycett, G.W.
Pattern of expression and characteristics of a cysteine proteinase cDNA from germinating seeds of pea (*Pisum sativum* L.) (1296) 13

Kato, K., see Mashiko, H. (1296) 198
Keane, P., see Mayo, K.H. (1296) 95
Kelly, S.M., see Munro, A.W. (1296) 127
Kelly, S.M., see Nairn, J. (1296) 69
Kembhavi, A.A., see Rao, M.N. (1296) 167
Khaitlina, S.Yu., see Matveyev, V.V. (1296) 55
Klein, M.E., see Sayre, L.M. (1296) 250
Kluepfel, D., see Gilbert, M. (1296) 9
Kohzuma, T., see Kyritsis, P. (1296) 257
Kominami, S., see Hirose, J. (1296) 103
Kotik, M., see Parrado, J. (1296) 145

Kounga, K., Song, S., Haslam, G.C. and Himes, R.H.
Site-directed mutagenesis of putative catalytic and nucleotide binding sites in N^{10}-formyltetrahydrofolate synthetase (1296) 112
Krell, T., see Nairn, J. (1296) 69
Kyritsis, P., Kohzuma, T. and Sykes, A.G.
Corrigendum to 'Redox reactivity of the type 1 copper protein amicyanin from *Thiobacillus versutus* with its physiological partner cytochrome c_{550} and inter-protein cross-reaction studies' [Biochim. Biophys. Acta 1295 (1996) 245–252] (1296) 257

Lau, K.-K., see Tsui, H.-T. (1296) 41
Lechner, T., Lusser, A., Brosch, G., Eberharter, A., Goralik-Schramel, M. and Loidl, P.
A comparative study of histone deacetylases of plant, fungal and vertebrate cells (1296) 181
Li, W.-S., see Sayre, L.M. (1296) 250
Linde, L. and Jensen, K.F.
Uracil phosphoribosyltransferase from the extreme thermoacidophilic archaebacterium *Sulfolobus shibatae* is an allosteric enzyme, activated by GTP and inhibited by CTP (1296) 16
Lindsay, J.G., see Munro, A.W. (1296) 127
Loidl, P., see Lechner, T. (1296) 181
Lusser, A., see Lechner, T. (1296) 181
Lycett, G.W., see Jones, C.G. (1296) 13

MacKenzie, R.E., see Pawelek, P.D. (1296) 47
Magarifuchi, T., see Hirose, J. (1296) 103
Manetti, F., see Botta, M. (1296) 121
Mashiko, H., Kato, K., Fujii, K.-i. and Takahashi, H.
Studies on factor XII in porcine plasma: purification and its conversion to activated form by porcine plasma kallikrein (1296) 198
Matsui, M., see Homma, H. (1296) 159
Matthias, L.J., Gotis-Graham, I., Underwood, P.A., McNeil, H.P. and Hogg, P.J.
Identification of monoclonal antibodies that recognize different disulfide bonded forms of thrombospondin 1 (1296) 138
Matveyev, V.V., Usmanova, A.M., Morozova, A.V., Collins, J.H. and Khaitlina, S.Yu.
Purification and characterization of the proteinase ECP 32 from *Escherichia coli* A2 strain (1296) 55
Mayo, K.H., Fan, F., Beavers, M.P., Eckardt, A., Keane, P., Hoekstra, W.J. and Andrade-Gordon, P.
NOE-derived conformation of GRGDSP cell adhesion recognition site in the presence of SDS micelles and integrin receptor GPIIB/IIIA (1296) 95
McNeil, H.P., see Matthias, L.J. (1296) 138
Mitra, S., see Mondal, M.S. (1296) 174
Mock, W.-Y., see Tsui, H.-T. (1296) 41
Mondal, M.S. and Mitra, S.
Kinetic studies of the two-step reactions of H_2O_2 with manganese-reconstituted myoglobin (1296) 174
Morioka, Y., see Homma, H. (1296) 159
Morosoli, R., see Gilbert, M. (1296) 9
Morozova, A.V., see Matveyev, V.V. (1296) 55
Munro, A.W., Lindsay, J.G., Coggins, J.R., Kelly, S.M. and Price, N.C.
Analysis of the structural stability of the multidomain enzyme flavocytochrome *P*-450 BM3 (1296) 127

Nairn, J., Price, N.C., Kelly, S.M., Rigden, D., Fothergill-Gilmore, L.A. and Krell, T.
Phosphoglycerate mutase from *Schizosaccharomyces pombe*: development of an expression system and characterisation of three histidine mutants of the enzyme (1296) 69
Naismith II, R.T., see Sayre, L.M. (1296) 250
Nakamura, M., see Neya, S. (1296) 245
Neya, S., Nakamura, M., Imai, K., Hori, H. and Funasaki, N.
Functional comparison of the myoglobins reconstituted with symmetric deuterohemes (1296) 245

Ogawa, K., see Homma, H. (1296) 159
Ostiguy, S., see Gilbert, M. (1296) 9

Pant, A., see Rao, M.N. (1296) 167
Park, S., Ajtai, K. and Burghardt, T.P.
Cleft containing reactive thiol of myosin closes during ATP hydrolysis (1296) 1
Parker, L., see Giraud, A. (1296) 189
Parrado, J., Escuredo, P.R., Conejero-Lara, F., Kotik, M., Ponting, C.P., Asenjo, J.A. and Dobson, C.M.
Molecular characterisation of a thermoactive β-1,3-glucanase from *Oerskovia xanthineolytica* (1296) 145
Pawelek, P.D. and MacKenzie, R.E.
Methylenetetrahydrofolate dehydrogenase-cyclohydrolase from *Photobacterium phosphoreum* shares properties with a mammalian mitochondrial homologue (1296) 47
Peberdy, J.F., see Chen, J.-s. (1296) 207
Pérez-Estévez, A., see Díaz-Jullien, C. (1296) 219
Ponting, C.P., see Parrado, J. (1296) 145
Price, N.C., see Munro, A.W. (1296) 127
Price, N.C., see Nairn, J. (1296) 69

Quaroni, L., Reglinski, J., Wolf, R. and Smith, W.E.
Interaction of nitrogen monoxide with cytochrome *P*-450 monitored by surface-enhanced resonance Raman scattering (1296) 5

Rak, C., see Scheibe, R. (1296) 228
Rao, M.N., Kembhavi, A.A. and Pant, A.
Implication of tryptophan and histidine in the active site of endo-polygalacturonase from *Aspergillus ustus*: elucidation of the reaction mechanism (1296) 167
Rao, N.M., see Cashikar, A.G. (1296) 76
Reglinski, J., see Quaroni, L. (1296) 5
Rigden, D., see Nairn, J. (1296) 69

Sarkar, D. and DasGupta, C.
Characterization of a molten globule intermediate during GdnHCl-induced unfolding of RTEM β-lactamase from *Escherichia coli* (1296) 85
Saxton, J., see Chen, J.-s. (1296) 207
Sayre, L.M., Naismith II, R.T., Bada, M.A., Li, W.-S., Klein, M.E. and Tennant, M.D.
trans-2-Phenylcyclopropylamine is a substrate for and inactivator of horseradish peroxidase (1296) 250
Scheibe, R., Baalmann, E., Backhausen, J.E., Rak, C. and Vetter, S.
C-terminal truncation of spinach chloroplast NAD(P)-dependent glyceraldehyde-3-phosphate dehydrogenase prevents inactivation and reaggregation (1296) 228
Shulkes, A., see Giraud, A. (1296) 189
Smith, W.E., see Quaroni, L. (1296) 5
Song, S., see Kounga, K. (1296) 112
Soro, S., see Botta, M. (1296) 121
Suzuki, N., see Yuasa, H.J. (1296) 235
Suzuki, T., see Yuasa, H.J. (1296) 235
Sykes, A.G., see Kyritsis, P. (1296) 257

Takagi, T., see Yuasa, H.J. (1296) 235
Takahashi, H., see Mashiko, H. (1296) 198
Takesue, S., see Takesue, Y. (1296) 152
Takesue, Y. and Takesue, S.
Purification and characterization of α-glucosidase complex from the intestine of the frog, *Rana japonica* (1296) 152

Tanahashi, I., see Homma, H. (1296) 159
Tang, J.-G., see Dai, Y. (1296) 63
Tennant, M.D., see Sayre, L.M. (1296) 250
Tsui, H.-T., Mock, W.-Y., Lau, K.-K. and Fong, W.-P.
Proteolytic activation of grass carp (*Ctenopharygodon idellus*) liver alcohol dehydrogenase (1296) 41
Tucker, G.A., see Jones, C.G. (1296) 13

Underwood, P.A., see Matthias, L.J. (1296) 138
Usmanova, A.M., see Matveyev, V.V. (1296) 55

Vetter, S., see Scheibe, R. (1296) 228
Vinogradov, S.N., see Yuasa, H.J. (1296) 235

Whitley, J., see Giraud, A. (1296) 189
Wolf, R., see Quaroni, L. (1296) 5

Yuasa, H.J., Green, B.N., Takagi, T., Suzuki, N., Vinogradov, S.N. and Suzuki, T.
Electrospray ionization mass spectrometric composition of the 400 kDa hemoglobin from the pogonophoran *Oligobrachia mashikoi* and the primary structures of three major globin chains (1296) 235